

Scan 1-31 to setup Drivers License Scanning For the DS6708 Scanner



**Embedded Driver's License Parsing**

1



**Expiration Date**

5



**Begin New Driver's License Parse Rule**

2



**Send Control M (Carriage Return)**

6



**Send #**

3



**Birth Date**

7




**Send Control M (Carriage Return)**

4




**Send Control M (Carriage Return)**

8



**Name Prefix**

9



**Middle Name/Initial**

13



**Send Control M (Carriage Return)**

10



**Send Control M (Carriage Return)**

14



**First Name**

11



**Last Name**

15



**Send Control M (Carriage Return)**

12



**Send Control M (Carriage Return)**

16



**Name Suffix**

17



**Mailing Address Line 2**

21




**Send Control M (Carriage Return)**

18




**Send Control M (Carriage Return)**

22



**Mailing Address Line 1**

19



**Mailing Address State**

23




**Send Control M (Carriage Return)**

20



**Send Control M (Carriage Return)**

24



**Mailing Address City**

25




**ID Number (Formatted)**

29



**Send Control M (Carriage Return)**

26




**Save Driver's License Parse Rule**

30



**Mailing Address Postal Code**

27




**Quit Entering Driver's License Rule**

31




**Send Control M (Carriage Return)**


28



**Do Not Transmit UPC-A Check Digit**



**Do Not Transmit UPC-E Check Digit  
(00h)**



**<DATA> <SUFFIX 1>**